

MATERIAL SAFETY DATA SHEET (Page 1 of 3)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME: SWIPE

Distributor's Name:	Face and Body Professionals, Inc	Chemical Family:	
Address:	371 Bel Marin Keys Blvd., Suite 220	2.00% Lidocaine Solution &	
City, State, Zip	Novato, CA. 94949-5662	1.50% Tetracaine Hydrochloride	
Business Telephone:	415-475-4305	6% Benzocaine	

SECTION 2: PHYSICAL DATA

Specific Gravity 25/25 : 1.01 @ 60/60F Boiling Point : 101 Deg C.
Vapor Pressure : < 1MM HG @ 70F Physical State : Liquid Gel
Odor : Fragrant Vapor Density [Air =1] : N/A
Solubility in Water : SOLUBLE

SECTION 3 : FIRE AND EXPLOSION HAZARD DATA

Flash Point (Closed Cup F) : Deg 400F
Extinguishing Media : [X]Water []CO₂ []Dry Chemical []Foam []Water Fog
Special Fire Fighting Procedures : Protect from heat and flame
Unusual Fire and Explosion Hazards : Dense Smoke May be Generated, Carbon Monoxide, Carbon Dioxide, and other oxides may be generated.

NFPA FLAMMABILITY CODE : 0

SECTION 4 : REACTIVITY DATA

Stability : Presents no significant reactivity hazard, not pyrophoric nor reactive with water.

Incompatibility (Materials to avoid): AVOID CONTACT WITH OXIDIZERS

Hazardous Combustion or Decomposition Products:
Burning liberates CO, CO₂, and smoke. Does not form explosive mixtures with organic materials. Does not undergo explosive decomposition and is shock stable. It is not an oxygen donor

Hazardous Polymerization :
Will not undergo spontaneous exothermic polymerization.

NFPA REACTIVITY CODE : 0

MATERIAL SAFETY DATA SHEET (Page 2 of 3)

PRODUCT NAME: SWIPE

SECTION 5 : SPILL OR LEAKAGE PROCEDURES

Cleanup of spills or accidental release of material:
Soak up with suitable absorbent.

Waste Disposal Methods :

Incineration or sanitary landfill in accordance with local, state and federal regulations and consistent with good ecological practices.

SECTION 6 : SPECIAL PROTECTION INFORMATION

Respiratory : Use NIOSH/MSHA Approved Respirator if TLV is exceeded

Ventilation : General Mechanical

Protective Gloves : Volatile Resistant if skin contact is anticipated

Eye Protection : Splash proof goggles if handling methods warrant them.

Other Protective Equipment :

SECTION 7 : EMERGENCY AND FIRST AID PROCEDURES

Eye (contact) : In the event of accidental contact with eyes, irrigate copious amounts of water; if irritation persists obtain medical advice.

Skin (contact): Remove contaminated clothing. Flush exposed areas with copious amounts mild soap and water. Product is non-irritating

Ingestion : May act as laxative, Do Not Induce Vomiting.

SECTION 8 : EXPOSURE DATA

Primary route of exposure : Skin Contact & Possible Inhalation

The approximated vapor pressure of the mixture is sufficiently high enough to be a significant route of exposure.

OSHA PEL : Not Determined

ACGIH TLV : Not Determined

Material is not found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.

MATERIAL SAFETY DATA SHEET (Page 3 of 3)

PRODUCT NAME: SWIPE

SECTION 9 : HEALTH HAZARDS

The identity of the individual components of this mixture is proprietary information and is regarded to be a TRADE SECRET.
In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents the same health hazards as the individual components when they are present at greater than 10% concentration.

Listed below are the health hazards for all of the materials present at 10% concentration and that undiluted have health hazards associated with them. Please note that not all the components of the mixture have health hazards associated with them. In the event of a medical emergency the identity of all the components will be divulged to a qualified health professional.

The following effects were concluded as a result of laboratory testing on one or more of the individual components. The relevancy to the mixture or to humans is unknown. Excessive exposure may cause similar effects.

REPEATED DAILY DOSES ORALLY CAUSED DAMAGE TO NERVOUS SYSTEM.

PROLONGED SKIN CONTACT MAY CAUSE SERIOUS HEALTH EFFECTS.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSED MINIMAL LIVER DAMAGE.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSED MINIMAL KIDNEY DAMAGE.

SKIN CONTACT AT FULL STRENGTH CAUSED NO IRRITATION.

REPEATED ORAL DOSING INCREASED OCULAR TENSION.

REPEATED DAILY APPLICATION TO SKIN CAUSED NO REPRODUCTIVE EFFECTS.

The following effects were concluded as a result of human testing and observation of one or more of the individual components.

LIQUID MAY BE IRRITATING TO SKIN AND EYES.

BOILING VAPOR IS MILDLY IRRITATING TO THE THROAT AND LUNGS.

BREATHING HIGH CONCENTRATION OF VAPOR MAY CAUSE MILD ANESTHETIC EFFECTS.

MAY CAUSE MILD DERMATITIS AFTER PROLONGED SKIN CONTACT IN DIRECT SUNLIGHT.

REPEATED LONG TERM CONTACT MAY CAUSE MILD ALLERGIC DERMATITIS.